

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	78	(Dayan and Richard and Alan).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:18
L3	2	2 and (legacy adj partition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:54
L10	323	(Richard and Bruno).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:54
L11	1	10 and (legacy adj partition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:54
L12	16	"186691"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:09
L14	2	"02354047"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:27
L15	202	(determin\$5 or read\$3) near6 (partition near2 (address\$3 or begin\$3 or start\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:36
L16	0	15 same ((selected or chosen or identified) near2 (disk adj drive\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:35
L17	3	15 same ((selected or chosen or identified) near2 (disk adj partition\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:35
L18	3	(determin\$5 or read\$3) near6 ((legacy adj partition) near2 (address\$3 or begin\$3 or start\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:36

L19	3	15 same (legacy adj partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:42
L20	100	(updat\$3 or modif\$8 or rebuild\$3 or refresh\$3 or rewrit\$4) near6 (partition adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:55
L21	0	20 same ((legacy adj partition) near2 (information or data or entr\$3 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:45
L22	8	((legacy adj partition) near2 (information or data or entr\$3 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:39
L23	36	20 same (partition near2 (information or data or entr\$3 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:42
L24	28	20 with (partition near2 (information or data or entr\$3 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:40
L25	0	23 same legacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:40
L26	1	23 and legacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:40
L27	371	(updat\$3 or modif\$8 or rebuild\$3 or refresh\$3 or rewrit\$4) near6 (partition near2 (information or data or entr\$3 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:50
L28	2	27 same (legacy adj partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:51

L29	32	27 same (partition adj table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:43
L30	24	27 with (partition adj table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:43
L31	0	20 same ((miss\$3 or absent or ("not" adj (present or available or there))) near6 (partition near2 (address\$3 or begin\$3 or start\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:50
L32	158	(updat\$3 or modif\$8 or rebuild\$3 or refresh\$3 or rewrit\$4) near6 (partition near2 table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:50
L33	0	27 same ((miss\$3 or absent or ("not" adj (present or available or there))) near6 (partition near2 (address\$3 or begin\$3 or start\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:50
L34	0	32 same ((miss\$3 or absent or ("not" adj (present or available or there))) near6 (partition near2 (address\$3 or begin\$3 or start\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:51
L35	0	(determin\$5 or identif\$5) near6 ((miss\$3 or absent or ("not" adj (present or available or there))) near3 (partition near2 (address\$3 or begin\$3 or start\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:52
L36	0	(determin\$5 or identif\$5) near6 ((miss\$3 or absent or ("not" adj (present or available or there))) near6 (partition near2 (address\$3 or begin\$3 or start\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:58
L37	16	((miss\$3 or absent or ("not" adj (present or available or there))) near6 (partition near3 (address\$3 or begin\$3 or start\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:55
L38	15	37 same (determin\$5 or identif\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:02

L39	0	37 with (determin\$5 or identif\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:53
L40	2	((missing or absent or ("not" adj (present or available or there))) near6 (partition near3 (address\$3 or begin\$3 or start\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:53
L41	15	(miss\$3 or absent or ("not" adj (present or available or there))) near6 (partition near3 address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:56
L42	1	(missing or absent or ("not" adj (present or available or there))) near6 (partition near3 address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:56
L43	20	(missing or absent or ("not" adj (present or available or there))) near6 (partition near3 (address\$3 or begin\$3 or start\$3 or information or data or entr\$3 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:17
L44	7	43 same (determin\$5 or identif\$5 or detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:02
L45	4	43 with (determin\$5 or identif\$5 or detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:02
L46	0	(missing or absent or ("not" adj (present or available or there))) near6 ((legacy adj partition) near3 (address\$3 or begin\$3 or start\$3 or information or data or entr\$3 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:09
L47	8	(missing or absent or ("not" adj (present or available or there))) near3 (partition adj (address\$3 or begin\$3 or start\$3 or information or data or entr\$3 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:23
L48	0	(missing or absent or ("not" adj (present or available or there))) near6 ((partition adj table) near3 (address\$3 or begin\$3 or start\$3 or information or data or entr\$3 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:26

L49	395	(missing or absent or ("not" adj (present or available or there))) near6 (table near3 (information or data or entr\$3 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:27
L50	0	49 same (partition adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:28
L51	19	(missing or absent or ("not" adj (present or available or there))) near6 (partition near3 (information or data or entr\$3 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:35
L52	25	(missing or absent or ("not" adj (present or available or there))) near6 (partition\$1 near3 (information or data or entr\$3 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:29
L53	0	52 same (partition adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:41
L54	1	52 same table\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:28
L55	3	52 same address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:29
L56	3	52 with address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:31
L57	11	"954303"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:31
L58	29	(missing or absent or unavailable or ("not" adj (present or available or there))) near6 (partition near3 (information or data or entr\$3 or value\$1 or address\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:38

L59	2	(missing or absent or unavailable or ("not" adj (present or available or there))) near6 (partition near3 address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:38
L60	31	(missing or absent or unavailable or ("not" adj (present or available or there))) near6 (partition near3 (information or data or entr\$3 or value\$1 or address\$3 or parameter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:39
L61	30	(missing or absent or unavailable or ("not" adj (present or available or there))) near6 (partition near3 (information or data or entr\$3 or value\$1 or parameter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:43
L62	2	61 same address\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:39
L63	0	61 same (partition adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:42
L64	0	61 same ((Master adj Boot adj Record) or MBR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:42
L65	70	((extensible adj firmware adj interface) or EFI) near3 ((basic adj input adj output adj system) or BIOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:56
L66	2	65 same (legacy adj partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 16:05
L67	0	20 same 60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:56
L68	0	20 and 60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:55

L69	0	20 same 65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:56
L70	0	20 and 65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:56
L71	7	(legacy adj partition\$1).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:56
L72	16	((((extensible adj firmware adj interface) or EFI) near3 ((basic adj input adj output adj system) or BIOS)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:57
L73	9	(recogniz\$3 or discover\$3 or detect\$3 or determin\$5 or identif\$8) near6 (legacy adj partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 16:07